

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- PR1750 A-1/2 ACCELERATOR
-- 8030-00-602-0107

===== Product Identification =====

Product ID:PR1750 A-1/2 ACCELERATOR

MSDS Date:11/30/1998

FSC:8030

NIIN:00-602-0107

Status Code:A

MSDS Number: CLRQK

=== Responsible Party ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDA

LE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:ERNEST CARTER

Chemtec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #

:FF5800000
< Wt:5.
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3

Ingred Name:HYDROGENATED TERPHENYL
CAS:61788-32-7
RTECS #:WZ6535000
= Wt:30.
ACGIH TLV:4.9 MG/M3;0.5 PPM

Ingred Name:DIPHENYLGUANIDINE
CAS:102-06-7
RTECS #:MF0875000
< Wt:5.

Ingred Name:TALC
CAS:14807-96-6
RTECS #:WW2710000
< Wt:5.
OSHA PEL:SEE TABLE Z-3
ACGIH TLV:2 MG/M3

Ingred Name:MANGANESE DIOXIDE
CAS:1313-13-9
RTECS #:OP0350000
= Wt:55.
OSHA PEL:C5 MG/M3
ACGIH TLV:5 MG/M3

===== Hazards Identification =
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATING. SKIN: PROLONGED
SOAKING OF SKIN IN HYDROGENATED TERPHENYL MAY PRODUCE DERMAL
IRRITATION. INHALATION: MAY CAUSE DIZZINESS, DROWSINESS, AND
FATIGUE. DUE TO VERY LOW VOLATILITY OF THIS INGREDIENT, INHALATION
EXPOSURE IS UNLIKELY UNDER NORMAL CONDITION OF USE. INGESTION:
PRACTICALLY NON-TOXIC.
Effec

ts of Overexposure:EYES: HIGH CONCENTRATION OF DUST MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION ON MOIST SKIN. INHALATION: DUST MAY PRODUCE MANGANESE PNEUMONITIS. OVEREXPOSURE TO MANGANESE DIOXIDE MAY PRODUCE MANGANESE POISONING WHICH IS UNLIKELY IN THE NORMAL WORKPLACE SETTING. INGESTION: CAN BE ABSORBED THROUGH DIGESTIVE SYSTEM AND RESULT IN APATHY, INSOMNIA, WEAKNESS IN LEGS, MUSCULAR TWITCHING, EMOTIONAL DISTRESS.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:93.3C, 200.F

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.

Fire Fighting P

rocedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MANGANESE DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION OF HYDROCARBON VEHICLE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH A SUITABLE SOLVENT.

=====
Handling and Storage
=====

Handling and

Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED.

Ventilation:GENERAL VENTILATION.

Protective Gloves:SOLVENT RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE KNOWN.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:644-644 DEG F.

Spec

Gravity:1.97

Evaporation Rate & Reference:NON VOLATILE

Appearance and Odor:BLACK PASTE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EASILY OXIDIZABLE MATERIALS.

Stability Condition to Avoid:NOT KNOWN.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN,
MANGANESE COMPOUNDS.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:

NOT A HAZARDOUS WASTE ACCORDING TO EPA

REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF
SPILLAGE.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for

its use. Any person utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.