View NSN Online: https://aerobasegroup.com/nsn/8030-00-275-8117

Product ID:CS 2301 CLASS B (PART A) MSDS Date:06/13/1997 FSC:8030 NIIN:00-275-8117 Status Code:A MSDS Number: CLRSL === Responsible Party === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Info Phone Num :818-982-1650 Emergency Phone Num:1-800-424-9300 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:14439 === Contractor Identification === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:14439 Ingred Name: PROPANE, 1,2,3-TRICHLORO-, POLYMER WITH 1,1'-.(.METHYLENEBIS(OXY).).BIS.(.2-CHLOROETHANE.). AND S ODIUM SULFIDE (NA2(SX)), REDUCED CAS:68611-50-7 = Wt:65. Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NON ESTABLISHED. POSSIBLE SKIN IRRITATION AFTER PROLONGED CONTACT. WITH RESULTING DERMATITIS, NOT CONSIDERED TO BE A PRIMARY SKIN IRRITANT. Effects of Overexposure:SKIN OR EYE IRRITATION.

Medical Cond Aggravated by Expos

ure:NONE KNOWN.

First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT PHYSICIAN. Flash Point Method:TCC Flash Point:=93.3C, 200.F Extinguishing Media: DRY CHEMICAL, OAM, CO2, WATER. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard:NONE. _____ Spill Release Procedures: SCOOP UP AND TRANSFER TO CONTAINER FOR REACTION WITH CURING AGENT. CLEAN UP RESIDUE WITH AEROMATIC NAPHTHA/SAND/SWEEPING COMPOUND. WASH AREA WITH SOAP AND WATER. Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM STRONG ACIDS. Other Precautions: WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING HANDLING THIS PR ODUCT. Respiratory Protection:NOT REQUIRED. Ventilation:LOCAL EXHAUST AIR MECHANICAL (GENERAL) FAN Protective Gloves:RUBBER Eye Protection: SAFETY GLASSES Other Protective Equipment: APPROPRIATE TO AVOID PROLONGED CONTACT. Work Hygienic Practices: TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT. Supplemental Safety and Health WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING THIS PRODUCT.

Physical/Chemical Properties ===============

Vapor Pres:NIL Vapor Density:NIL Spec Gravity:1.50 Evaporation Rate & amp; Reference:1 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS AND STRONG ACIDS. Stability Condition to Avoid:OPEN FLAME. Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE. Conditions to Avoid Polymer ization:WILL NOT OCCUR.

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS HAZARDOUS WASTE, NON MIX NON HAZARDOUS .

Transport Information:SHIPPING NAME: ADHESIVE N.O.S. HAZARD CLASS: NON-HAZARDOUS UNIT CAONTAINER: 12 OZ IN 16 OZ METAL CAN. US POSTAL REGULATIONS: PARA 124.142 HARMFUL MATTER. DISPOSAL INFO: INCINERATION OR L

AN D DISPOSAL, MIXED WITH PART B, HAZARDOUS WASTE, NON-MIX, NON-HAZARDOUS. EPA CODE: CADO62064746. WASTE CHARACTERISTICS: SLUDGE. DISPOSAL METHODS: INCINERATION OR LAND DISPOSAL, DISPOSE WASTE ACCOR DING TO FEDERAL, STATE AND LOCAL REGULATIONS. APPLICABLE REGULATIONS: 49 CFR, IMO, IATA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by eleme nts of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.