View NSN Online: https://aerobasegroup.com/nsn/9150-00-926-1969 TENNECO CHEM, INC - INTERMEDIATES DIV -- ANDEROL SYNTHETIC LUBRICATING GREASE 786 --9150-00-926-1969 Product ID: ANDEROL SYNTHETIC LUBRICATING GREASE 786 MSDS Date:01/01/1985 FSC:9150 NIIN:00-926-1969 MSDS Number: BFWSZ === Responsible Party === Company Name: TENNECO CHEM, INC - INTERMEDIATES DIV Emergency Phone Num:301-778-1991 CAGE:GO844 === Contractor Identifi cation === Company Name: TENNECO CHEM, INC - INTERMEDIATES DIV CAGE:GO844 Company Name: TENNECO CHEMICALS INC ORGANIC AND POLYMERS DIV Address:TURNER PL Box:365 City:PISCATAWAY State:NJ ZIP:08854 Country:US Phone:908-981-5000 CAGE:99559 ======= Composition/Information on Ingredients ========= Ingred Name: NO INGREDIENT FOR THIS FORMULATION INGREDIENT Effects of Overexposure:PRLNGD/RPTD SKIN/EYE CNTCT MAY CAUSE IRRI PRLNGD BRTHNG OF CONC MIST AT HIGH TEMP MAY IRRIT LUNGS. First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH IMMED W/PLENTY WATER 15 MIN. INH: REMOVE TO FRESH AIR. MFR STATES LOW DEGREE OF HAZ FOR THIS PROD. OBSERVE ORDINARY MEASURES OF PERSONAL HYGIENE. ============= Fire Fighting Measures ========================

Flash Point:>300F

Extinguishing Media:WATER SPRAY, FOAM, CO\*2, DRY CHEM

Fire Fighting Proce

dures:NONE Unusual Fire/Explosion Hazard:BURNING MAY PRODUCE SM AMTS TOXIC FUMES. AVOID EXPOSURE.
======== Accidental Release Measures =========
Spill Release Procedures:SCRAPE UP & REMOVE TO DISPOSAL CNTNR. CLEAN UF AREA W/DETERGENT & WATER IF SLIPPERY.
========== Handling and Storage ============
Handling and Storage Precautions:ORDINARY CARE IN HANDLING CHEM
====== Exposure Controls/Personal Protection ========
Respirator y Protection:PRLNGD/RPTD EXP TO CONC HOT FUMES/MIST, USE AIRLINE RESP Ventilation:MECH EXHST ACCEPTABLE Protective Gloves:YES Eye Protection:SAFETY GLASSES Other Protective Equipment:WASH CONTAM CLOTHING BEFORE REUSE Supplemental Safety and Health PROD NOT VOLATILE. SPEC GRAV IS 0.9-1.0. DROPPING PT IS 360-500F.  ==================================
HCC:V6 Solubility in Water:NEGLIGIBLE Appearance and Odor:LIGHT TO DARK GREASE, SLIGHT MILD ODOR  ==================================
STRNG OXIDANTS, ACIDS & BASES MAY SOFTEN PLASTIC/PAINT Hazardous Decomposition Products:BURNING MAY PROD SM AMTS OF TOXIC FUMES OR NITROGEN OXIDES
======= Disposal Considerations ==========
Waste Disposal Methods:BURY IN APPRVD LANDFILL. OBSERVE LOCAL, STATE, FED REG. DO NOT CONTAM ANY STREAMS, LAKES, PONDS.

Disclaimer (provided with this information by the comp

## iling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.