View NSN Online: https://aerobasegroup.kr/nsn/7510-00-161-0814

DIAGRAPH CORPORATION -- A-A-208 TY2 RED -- 7510-00-161-0814

Product ID:A-A-208 TY2 RED

MSDS Date:05/15/1989

FSC:7510

NIIN:00-161-0814

MSDS Number: BJHTG === Responsible Party ===

Company Name: DIAGRAPH CORPORATION

Box:520 City:HERRIN State:IL

State:IL ZIP:62948

Info Phone Num:(616) 997-3321

Emergency Phone Num:(616) 997-3321 Preparer's Name:W.R. MCMILLEN

CAGE:FO627

=== Con

tractor Identification ===

Company Name: DIAGRAPH CORPORATION

Box:520 City:HERRIN State:IL

ZIP:62948 Phone:(618) 997-3321

CAGE:FO627

Company Name: GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC

Address: CYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS

Box:HWY

City:WASHINGTON

State:DC ZIP:20406 Country:US CAGE:80244

======= Composition/Information on Ingredients ========

Ingred Name:DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)

CAS:123-42-2

RTECS #:SA9100000 Fraction by Wt: 60-80%

Oth

er REC Limits:50 PPM **OSHA PEL:50 PPM** ACGIH TLV:50 PPM; 9192 Ingred Name:2-(2-BUTOXYETHYOXY)-ETHANOL, DIETHYLENE GLYCOL MONOBUTYL ETHER (BUTYL CARBITOL) CAS:112-34-5 RTECS #:KJ9100000 Fraction by Wt: 1-20% ========== Hazards Identification ================ LD50 LC50 Mixture:ORAL RAT LD50 = 4,000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: DERMATITIS, IRRITATION, & SENSITIZATION. EYE: REDNESS & BLURRED VISION. INHALATION: IRRITATION, DIZZINSS & FATIGUE. INGESTION: VOMITING, IRRITATION, NAUSEA, EFFECT KIDNEY & LIVER. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: SKIN: DERMATITIS, IRRITATION, & SENSITIZATION. EYE: REDNESS & BLURRED VISION. INHALATION: IRRITATION, DIZZINESS & FATIGUE. INGESTION: VOMITING, IRRITATION, NAUSEA, EFFECT KIDNEY & Medical Cond Aggravated by Exposure: DERMATITIS, SENSITIZATION

======= First Aid Measures ==================

First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER. CALL PHYSICIAN. INHALATION: PROVIDE FRESH AIR & REST. INGESTION: DRINK SEVEREAL GLASSES OF WATER, INDUCE VOMITING, CALL PHYSICIAN.

============= Fire Fighting Measures ========================

Flash Point Method:CC Flash Point:120F

Lower Limits: 0.9%

Extinguishing Media: ALCOHOL FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures: A STRAIGHT STREAM OF WATER COULD SPREA

D FIRE. Unusual Fire/Explosion Hazard: A VAPOR ACCUMULATION WILL FLASH &/OR EXPLODE IF IGNITED. FLAMMABLE/COMBUSTIBLE II.
======== Accidental Release Measures =========
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. ABSORB ON INERT MATERIAL.
======================================
Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM ALI SOURCES OF IGNITION.
====== Exposure Controls/Personal Protecti on =======
Respiratory Protection:ORGANIC VAPOR: RECOMMENDED

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP