View NSN Online: https://aerobasegroup.kr/nsn/6810-00-242-6336

THOMPSON-HAYWARD CHEMICAL COMPANY -- SODIUM CYANIDE BRIQ 200, 16-08147-02 - 6810-00-242-6336

Product ID:SODIUM CYANIDE BRIQ 200, 16-08147-02 MSDS Date:08/10/1988 FSC:6810 NIIN:00-242-6336 MSDS Number: BKHJM === Responsible Party === Company Name: THOMPSON-HAYWARD CHEMICAL COMPANY Address:5200 SPEAKER RD **City:KANSAS CITY** State:KS ZIP:66106 Info Phone Num: (913) 321 -3131 Emergency Phone Num: (913) 321-3131 Preparer's Name: GENE TURNER CAGE:5G633 === Contractor Identification === Company Name: THE AGRICULTURE AND NUTRITION CO INC. Address:N/K (FORMERLY THOMPSON-HAYWARD CHEMICAL **City:KANSAS CITY** State:KS ZIP:66106 Country:US Phone:913-321-3131 CAGE:09531 Company Name: THOMPSON-HAYWARD CHEMICAL CO Address:5200 SPEAKER RD Box:City:KANSAS CITY State:KS ZIP:66106 Country:US Phone:913-321-3131 CAGE:5G633

======= Composition/Information on Ingredients =======

=====

Ingred Name:SODIUM CYANIDE (SARA III) CAS:143-33-9 RTECS #:VZ7525000 Fraction by Wt: 100% OSHA PEL:5 MG/M3 (CN) ACGIH TLV:S; 5 MG/M3 (CN);9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS LD50 LC50 Mixture:ORAL LD50 (RAT): 15 MG/L Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: IRRITATION, BURNS, TEARING, **BLURRING OF VIS** ION OR PERMANENT DAMAGE. SKIN/INHALATION/INGESTION: IRRITATION W/DISCOMFORT, RASH, PERMEATION, NAUSEA, HEADACHE, DIZZINESS, VOMITING, UNCONSCIOUSNESS, RAPID RESPIRATION, LOWER BLOOD PRESSURE, CONVULSIONS, FATAL. Explanation of Carcinogenicity:NONE Effects of Overexposure: EYES: IRRITATION, BURNS, TEARING, BLURRING OF VISION OR PERMANENT DAMAGE. SKIN/INHALATION/INGESTION: IRRITATION W/DISCOMFORT, RASH, PERMEATION, NAUSEA, HEADACHE, DIZZINESS, VOMITING, UNCONSCIOUSNESS, RAP ID RESPIRATION, LOWER BLOOD PRESSURE, CONVULSIONS, FATAL. Medical Cond Aggravated by Exposure: CENTRAL NERVOUS SYSTEM DISEASES. First Aid:INHALATION: MOVE TO FRESH AIR. ADMINISTER AMYL NITRATE ANTIDOTE & OXYGEN. INGESTION: GIVE PATIENT 1 PINT OF 1% SODIUM THIOSULFATE SOLUTION OR PLAIN WATER BY MOUTH/INDUCE VOMITING. KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION. NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON BY MOUTH. EYES: FLUSH W/PLENTY OF WATER. SKIN: WASH THE CYANIDE. OBTAIN MEDICAL ATTENTION IN ALL CASES. Flash Point: WILL NOT BURN Extinguishing Media: USE WATER ON FIRES NEAR SODIUM CYANIDE. DON'T USE CO2. Fire Fighting Procedures:CO2 REACTS W/SODIUM CYANIDE TO PRODUCE HYDROGEN CYANIDE IF MOISTURE IS PRESENT. CONTAIN RUNOFF. 

Spill Release Procedure

s:SWEEP UP/SHOVEL INTO A COVERED CONTAINER OR PLASTIC BAG, PENDING TRANSFER. COVER/KEEP SPILLAGE DRY. FLUSH SPILL AREA W/A DILUTE SOLUTION OF SODIUM OR CALCIUM HYPOCHLORITE. DON'T ALLOW ESCAPE INTO NATU RAL WATERS BEFORE DETOXIFYING. Neutralizing Agent:SODIUM HYPOCHLORITE OR HYDROGEN PEROXIDE.

Handling and Storage Precautions:STORE IN LABELED CONTAINERS IN DRY, VENTILATED, SECURED AREAS, AWAY FROM COMBUSTIBLES & FLAMMABLES.

DON'T BREATHE DUST, MIST OR HYDOCYANIC ACID GAS. Other Precautions: AVOID CONTACT W/SKIN, EYES/CLOTHING. EMPTIED CONTAINERS MAY BE HAZARDOUS AS THEY MAY RETAIN PRODUCT RESIDUES. DON'T HANDLE OR STORE FOOD, BEVERAGES OR TOBACCO IN CYANIDE AREAS. KEEP CONTAINERS CLOSED & DRY.

Respiratory Protection:DISPOSABLE TOXIC DUST OR MIST RESPIRATORS OR SELF-CONTAINED BREATHING APPARATUS. Ventilation:PROVI DE MECHANICAL VENTILATION TO KEEP DUST, MIST & HYDROCYANIC ACIDS GAS