View NSN Online: https://aerobasegroup.kr/nsn/6850-00-281-2791

AMCO CHEMICAL CORP -- SOLVENT, DL1031ASAM2. (140 SOLVENT) -- 6850-00-281-2791

============= Product Identification ========================

Product ID:SOLVENT, DL1031ASAM2. (140 SOLVENT)

MSDS Date:04/28/1992

FSC:6850

NIIN:00-281-2791

MSDS Number: BMSLK === Responsible Party ===

Company Name: AMCO CHEMICAL CORP

Address:3RD - CYPRS

Box:208

City:OAKLAND

State:CA ZIP:94607 Country:US

Info Phone Num:415-938-3403 (HOME PHONE)

Emerge

ncy Phone Num:415-938-3403 (HOME PHONE)

Preparer's Name: DOD HMIS/DGSC-SSH

CAGE:97984

=== Contractor Identification ===

Company Name: AMCO CHEMICAL CORP

Address:3RD - CYPRS

Box:208

City:OAKLAND

State:CA ZIP:94607 Country:US

Phone: NOT IN BUSINESS! 911008P505A ???

CAGE:97984

======= Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED LIGHT PETROLEUM DISTILLATE

CAS:64742-47-8 Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM ACGIH TLV:100 PPM 9 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:LIQUID IS IRRITATING TO EYES. VAPOR
MAY CAUSE EYE IRRITATION. LIQUID IS SLIGHTLY IRRITATING TO SKIN.
PROLONGED OR REPEATED CONTACT CAN RESULT IN DERMATITIS. VAPORS MAY
BE IRRITATING TO NOSE, THROAT AN D RESPIRATORY TRACT. INGESTION MAY
RESULT IN VOMITING. OVEREXPOSU

RE MAY LEAD TO CENTRAL NERVOUS SYSTEM DEPRESSION.

Explanation of Carcinogenicity: THE COMPONENTS OF THIS PRODUCT HAVE NOT SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.

Effects of Overexposure:EYE, SKIN AND RESPIRATORY TRACT IRRITATION, HEADACHE, DIZZINESS, NAUSEA, FATIGUE, CONFUSION, AND UNCONSCIOUSNESS.

Medical Cond Aggravated by Exposure:PERSON WITH PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures ===========

First Aid:EYES: FLUSH WITH LARGE AMOUNT OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FR ESH AIR. GIVE CPR IF NOT BREATHING. GETMEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:140F,60C

Extinguishing Media: USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. WATER MAY BE UNSUITABLE AS AN EXTINGUISHING MEDIA.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. AVOID SPREADING BURNING LIQUID WITH

========= Accidental Release Measures ==========
Spill Release Procedures:ELIMINATE IGNITION SOURCES. VENTILATE THE AREA. DIKE TO RETAIN RUNOFF. VACUUM OR PUMP FREE LIQUID. WIPE UP SMALL SPILLS WITH PAPER TOWELS. ABSORB RESIDUE WITH INERT MATERIAL AND PLACE IN SALVAGE DRUM.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN A COOL, DRY AREA AWAY FROM SOURCES OF IGNI TION. KEEP CONTAINERS CLOSED WHEN NOT IN USE. USE AND STORE THIS PRODUCT WITH ADEQUATE VENTILATION. Other Precautions:PERSONNEL SHOULD AVOID INHALATION OF VAPORS AND CONTACT WITH THE PRODUCT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WEAR A NIOSH/MSHA APPROVED RESPIRATOR.  AIR-SUPPLIED OR FILTERING TYPE WITH ORGANIC VAPOR CARTRIDGES.  Ventilation:PROVIDE LOCAL AND MECHANICAL(GENERAL) EXHAUST VENTILATION  TO KEEP PRODUCT VAPOR CONCEN  TRATION WITHIN TLV RANGES.  Protective Gloves:NEOPRENE, NITRILE, OR POLYVINYL ALCOHOL.  Eye Protection:CHEMICAL SAFETY GOGGLES AND FACE SHIELD.  Other Protective Equipment:WEAR INDUSTRIAL WORK CLOTHING. USE RUBBER  APRON OR BOOTS IF NEEDED. HAVE EMERGENCY EYE WASH AND SAFETY SHOWER  AVAILABLE.  Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING  OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.  Supplemental Safety and Health  AVOID PROLONGED OR REPEATED EXPOSURE. D  O NOT GET ON SKIN OR IN EYES. DO  NOT BREATHE VAPORS OR MIST. DO NOT INGEST. READ PRECAUTIONS ON  LABEL BEFORE USE. NOTE: THE AMCO CHEMI  CAL CORP NO LONGER EXISTS. THIS MSDS WAS GENERATED BY DGSC-SSH  BASED ON SIMILAR PRODUCT PRODUCED BY OTHER MANUFACTURERS
========= Physical/Chemical Properties ===========
HCC:F4 Boiling Pt:B.P. Text:>367F,>186C

Vapor Density:>1 Spec Gravity:

WATER USED FOR COOLING PURPOSES.