

ZOECON CORPORATION -- ZOECON GENCOR 8% EMULSIFIABLE CONCENTRATE --
6840-01-318-7416

===== Product Identification =====

Product ID:ZOECON GENCOR 8% EMULSIFIABLE CONCENTRATE

MSDS Date:03/01/1988

FSC:6840

NIIN:01-318-7416

MSDS Number: BMWMJ

=== Responsible Party ===

Company Name:ZOECON CORPORATION

Address:12200 DENTON DRIVE

City:DALLAS

State:TX

ZIP:75234

Info Phone Num:(214) 243-2321

Emergency Phone Nu

m:(214) 243-2321

CAGE:EO462

=== Contractor Identification ===

Company Name:FORSHAW DISTRIBUTION INC.

Address:2214 TOMLYNN STREET

Box:City:RICHMOND

State:VA

ZIP:23230

Country:US

Phone:804-355-1900

CAGE:4X487

Company Name:ZOECON CORP

Address:12200 DENTON DR

Box:City:DALLAS

State:TX

ZIP:75234

Country:US

Phone:214-243-2321

CAGE:51112

Company Name:ZOECON CORPORATION

CAGE:EO462

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED LIGHT PETROLEUM DISTILLATE

CA

S:64742-47-8
Other REC Limits:300 PPM

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)
CAS:67-56-1
RTECS #:PC1400000
Other REC Limits:NONE SPECIFIED
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TRIMETHYL BENZENE (SARA III)
CAS:25551-13-7
RTECS #:DC3220000
Other REC Limits:NONE SPECIFIED
OSHA PEL:25 PPM
ACGIH TLV:25 PPM; 9192

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT
) = 5100 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE EXPECTED. EYE: TEMPORARY
IRRITATION. INGESTION: HARMFUL IF SWALLOWED.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:NAUSEA, DIARRHEA, VOMITING, GI TRACT
IRRITATION.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH DIRECTED STREAM OF WATER FOR 15 MINUTES. GET
MEDIC
AL ATTENTION IF IRRITATION OF EYES DEVELOPS. INGESTION:GET
IMMEDIATE MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:132F,56C
Extinguishing Media:CO2, FOAM, WATER, FOG.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING
AND SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQ

UID WITH INERT MATERIAL, (SUCH AS CLAY), PLACE ALL WASTE MATERIAL IN CONTAINER THAT CAN BE EFFECTIVELY SEALED.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES, OPEN FLAMES. AVOID INHALATION OF VAPORS, AND CONTACT WITH SKIN AND CLOTHINGS.

Other Precautions:AVOID CONTAMINATION OF FOOD, FOODSTUFF, OR WATER SUPPLY. STORE IN A COOL AREA AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:MECHANICAL

Protective Gloves:IMPERVIOUS

Eye Protection:GLASSES WITH SIDE SHIELD

Work Hygienic Practices:WASH HANDS AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T5

Spec Gravity:0.85

Solubility in Water:EMULSIFIES

Appearance and Odor:STRAW COLORED LIQUID WITH MILD PETROLEUM ODOR.

Percent Volatiles by Volume:98%

=====

Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:HIGH TEMPERATURE OR FLAME

Hazardous Decomposition Products:OXIDES OF CARBON AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:OFFER SEALED CONTAINER FOR DISPOSAL ACCORDING TO LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information

is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.