

INDUSTRIAL FLOOR FINISHES -- PN-725 POLISH, FURNITURE, 40 PERCENT OIL -- 7930-00-266-7121

=====  
Product Identification  
=====

Product ID:PN-725 POLISH, FURNITURE, 40 PERCENT OIL

MSDS Date:09/04/1992

FSC:7930

NIIN:00-266-7121

MSDS Number: BQYCM

=== Responsible Party ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRINGS ROAD

City:BEDFORD

State:MA

ZIP:01730

Country:US

Info Phone Num:508-667-5

161

Emergency Phone Num:800-255-3924 OR POISON CENTER

Preparer's Name:T PITROFFY

CAGE:0J4J4

=== Contractor Identification ===

Company Name:PERMA, INCORPORATED

Address:605 SPRINGS ROAD

Box:City:BEDFORD

State:MA

ZIP:01730

Country:US

Phone:978-667-5161

CAGE:0J4J4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalatio

n:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: MAY IRRITATE EYES. CHRONIC:  
NONE KNOWN.  
Effects of Overexposure:MAY BE DEFATTING TO SKIN.

=====  
===== First Aid Measures =====

First Aid:WASH WITH SOAP AND WATER. IF INGESTED INDUCE VOMITING WITH  
OIL OF IPECAC.

=====  
===== Fire Fighting Measures =====

Flash Point:>300F,>149C  
Extinguishing Media:WATER SPRAY

Fire Fighting Procedures:BLANKET WITH WATER SPRAY, FROTHING MAY OCCUR

=====  
===== Accidental Release Measures =====

Spill Release Procedures:PICK UP WITH MOP OR WET VACUUM. RINSE WITH  
SOAP AND WATER

=====  
===== Handling and Storage =====

Handling and Storage Precautions:PROTECT FROM FREEZING.  
Other Precautions:KEEP AWAY FROM CHILDREN.

=====  
===== Exposure Controls/Personal Protection =====

Protective Gloves:RECOMMENDED  
Eye  
Protection:RECOMMENDED  
Other Protective Equipment:NOT REQUIRED WHEN USED AS DIRECTED.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:17  
Vapor Density:1  
Spec Gravity:0.92  
pH:8.2  
Viscosity:2000 CPS  
Evaporation Rate & Reference:0.3 (BU AC=1)  
Solubility in Water:DISPERSIBLE  
Appearance and Odor:MILKY, VISCOUS LIQUID, PLEASANT ODOR

=====  
===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES  
ACIDS

===== Disposal Considerations =====

Waste Disposal Methods: PICK UP WITH ABSORBENT MATERIAL, COLLECT INTO METAL CONTAINER FOR DISPOSAL. NOT A HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.