View NSN Online: https://aerobasegroup.kr/nsn/6810-00-239-0910 BARTLETT CHEMICALS -- SODIUM STANNATE -- 6810-00-239-0910 ============= Product Identification ======================== Product ID:SODIUM STANNATE MSDS Date: 10/28/1993 FSC:6810 NIIN:00-239-0910 MSDS Number: BSCTK === Responsible Party === Company Name: BARTLETT CHEMICALS Address:4955 RIVER ROAD Box:10710 City:JEFFERSON State:LA ZIP:70121 Country:US Info Phone Num:504-734-1971 Emergency Phone Num:504-734-1971 CAGE:1V771 === C ontractor Identification === Company Name: BARTLETT CHEMICALS Address:4955 RIVER ROAD Box:10710 City:JEFFERSON State:LA ZIP:70121 Country:US Phone:504-734-1971 CAGE:1V771 ======= Composition/Information on Ingredients ======== Ingred Name: SODIUM STANNATE, TRIHYDRATE (% OBTAINED FROM TOTAL ITEM RECORD) CAS:12209-98-2 Fraction by Wt: >91% Other REC Limits: NONE RECOMMENDED OSHA PEL:2 MG/M3 (TIN) ACGIH TLV:2 MG/M3 (TIN)

======== Hazards Identification =========

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE: INHALATION MAY CAUSE

RESPIRATORY TRACT IRRITATION. LOW HAZARD POTENTIAL. CHRONIC: STANNOSIS. A BENIGN PNEUMOCONIOSIS.

Effects of Overexposure:EYES: MECHANICAL IRRITATION. SKIN: SOLUTION MAY CAUSE IRRITATION. INHALATION: IRRITATION OF NOSE AND THROAT. INGESTION: EXTREMELY LARGE DOSAGES MAY PRODUCE GASTROINTESTINAL DISTURBA

NCES, NAUSEA, VOMIT ING, ABDOMINAL SPASMS.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEE DOCTOR. INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED. SEE DOCTOR. INGESTION: DRINK LARGE AMOUNT OF WATER. SEE DOCTOR.

====

======== Fire Fighting Measures ===========

Flash Point:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE AN EXPLOSION HAZARD.

======== Accidental Release Measures ==========

Spill Release Procedures: VENTILATE.

CLEAN UP USING METHODS THAT AVOID

DUST GENERATION SUCH AS VACUUM, WET DUST MOP OR WET CLEAN UP AND PLACE IN APPROPIATE DISPOSAL CONTAINER AND COVER. IF DUST IS GENERATED USE NIOSH/MSHA APPR OVED RESPIRATOR WITH DUST CARTRIDGE.

=========== Handling and Storage ==============

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE. SEPARATE FROM ACIDS. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:PERIOD

IC MEDICAL EXAMINATIONS ARE RECOMMENDED FOR INDIVIDUALS REGULARLY EXPOSED TO DUST OR MIST. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH/MSHA-APPROVED RESPIRATOR WITH DUST CARTRIDGE IF TLV IS EXCEEDED. Ventilation: LOCAL EXHAUST RECOMMENDED TO MAINTAIN EXPOSURE LEVEL BELOW TLV. Protective Gloves: PROTECTIVE GLOVES. Eye Protection: SAFETY GLASSES W/SIDE SHIELD OR GOGGLES. Other Protective Equipment: WORK CLOTHES. Work Hygienic Pract ices:WASH THOROUGHLY AFTER HANDLING. DO NOT SHAKE CLOTHING. REMOVE DUST BY WASHING OR VACUUMING. DO NOT WEAR CONTACT LENSES. Supplemental Safety and Health NONE. ======== Physical/Chemical Properties =========== HCC:T6 Melt/Freeze Pt:M.P/F.P Text:284F,140C Solubility in Water:61.3G/100G WATER@68F Appearance and Odor: WHITE TO OFF-WHITE CRYSTALLINE POWDER, HAVING A SLIGHT YELLOW CAST. ========= Stability and Reactivity Data ============== Stability I ndicator/Materials to Avoid:NO ACIDS. Stability Condition to Avoid:SLOWLY DECOMPOSES IN AIR TO OXIDE. AVOID MOISTURE AND EXPOSURE TO AIR. Hazardous Decomposition Products: SODIUM AND TIN OXIDES. ======== Disposal Considerations ============= COVERED CONTAINERS PENDING DISPOSAL. DISPOSE OF IN ACCORDANCE WITH

Waste Disposal Methods: NOTIFY YOUR LOCAL ENVIRONMENTAL OFFICER. KEEP IN FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by

the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.