View NSN Online: https://aerobasegroup.kr/nsn/7930-01-412-1018

Product ID:SAFE BLUE ALL PURPOSE CLEANER MSDS Date:03/10/1994 FSC:7930 NIIN:01-412-1018 **MSDS Number: CDHLC** === Responsible Party === Company Name: MAINTEX INC. Address:13300 NELSON AVE. City:CITY OF INDUSTRY State:CA ZIP:91746 Country:US Info Phone Num:818-961-1988 Emergency Phone Num:800-255-3924 Ρ reparer's Name: ALI ABYANE CAGE:NO277 === Contractor Identification === **Company Name:MAINTEX INC** Address:13300 NELSON AVE Box:City:CITY OF INDUSTRY State:CA ZIP:91746 Country:US Phone:818-961-1988 CAGE:0AWE2 Company Name: MAINTEX INC. Address:3614 EL MONTE AVE Box:City:EL MONTE State:CA ZIP:91731 Phone:213-283-7380 CAGE:NO277

Ingred Name:NONYLPHENOL ETHOXYLATE CAS:9016-45-9 RTECS #:MD0900000 Fraction by Wt: 2-3% Other REC Limit s:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER CAS:34590-94-8 RTECS #:JM1575000 Fraction by Wt: 4-6% Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

Ingred Name:VOC = 4.1% RTECS #:9999999VO Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Ha

zards Acute and Chronic:EYE: DIRECT CONTACT W/CONCENTRATE MAY CAUSE MODERATE IRRIT/TEARING/CONJUNCTIVITIS. SKIN: MAY CAUSE DRYING. CHRONIC: MAY IRRITATE. INHALATION: NOT EXPECTED UNLESS CONCENTRATE IS HEATED/INHALED. INGESTI ON: MAY IRRITATE GI TRACT, CAUSE NAUSEA/DIARRHEA.

Effects of Overexposure: CHRONIC OVEREXPOSURE MAY RESULT IN ALLERGIC SKIN REACTION. EYE: STINGING/WATERING. SKIN: INFLAMMATION.

First A

id:EYE: GENTLY IRRIGATE W/LARGE AMOUNTS COOL WATER 15 MINUTES. GET IMMEDIATE MEDICAL AID. SKIN: WASH W/WATER. WASH CONTAMINATED CLOTHES BEFORE REUSE. INHALATION: MOVE TO FRESH AIR. IF TROUBLE BREATHING G IVE OXYGEN. CALL DR. INGESTION: WASH OUT MOUTH. GIVE MODERATE AMOUNT WATER/MILK TO DILUTE. IF CONSCIOUS INDUCE VOMITING. GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL AID.

Flash Point Method:TCC Flash Point:>21 2F,>100C Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:FIREFIGHERS SHOULD WEAR POSITIVE PRESSURE SCBA W/FULL FACEPIECE.

Spill Release Procedures:LARGE (>55 GL) WEAR RUBBER BOOTS/GLOVES/PROTECTIVE CLOTHES. SHUT OFF LEAK SOURCE IF SAFE. DIKE/CONTAIN SPILL. SMALL: MOP UP & RINSE AREA.

Handling and Storage Precaut ions:KEEP AWAY FROM CHILDREN. DO NOT GET IN EYES ON SKIN/CLOTHES. DO NOT TAKE INTERNALLY.

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR FOR MIST/SPRAYS. Ventilation:ADEQUATE LOCAL EXHAUST IN CONFINED AREAS. Protective Gloves:RUBBER DECREASES SKIN DRYNESS/IRRITATION Eye Protection:CHEMICAL SPLASH GOGGLES Supplemental Safety and Health HEATED/SPRAYED PRODUCT GENERATES VAPORS IRRITATING TO RESPIRATORY TRACT & MAY C

AUSE BREATHING DIFFICULTY/PULMINARY EDEMA.

Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:>32F,>0C Vapor Pres:>17 @ 68F Vapor Density:>1.0 Spec Gravity:1.02 pH:12-13 Evaporation Rate & amp; Reference: