View NSN Online: https://aerobasegroup.kr/nsn/6830-01-391-5033

C F C RECLAIMATION AND RECYCLING SERVICE INC -- NITROGEN -- 6830-01-391-5033

Product ID:NITROGEN MSDS Date:01/01/1995 FSC:6830 NIIN:01-391-5033 **MSDS Number: CHMGK** === Responsible Party === Company Name: C F C RECLAIMATION AND RECYCLING SERVICE INC Address:318 N TREADAWAY Box:560 **City:ABILENE** State:TX ZIP:79604 Country:US Info Phone Num:9150-675-5311 **Emergency Phon** e Num:9150-675-5311 CAGE:0XXK5 === Contractor Identification === Company Name: C F C RECLAIMATION AND RECYCLING SERVICE INC Address:318 N TREADAWAY Box:560 City:ABILENE State:TX ZIP:79604 Country:US Phone:9150-675-5311 FAX: 915-675-5324 CAGE:0XXK5 Ingred Name:NITROGEN

CĂS:7727-37-9 RTECS #:QW9700000 Other REC Limits:NONE RECOMMENDED ACGIH TLV:ASPHYXIANT; 9394

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NITROGEN IS A SIMPLE ASPHYXIANT.

NITROGEN UNDER HIGH PRESSURE CAN PRODUCE NARCOSIS.LIQUID NITROGEN CAN CAUSE FREEZE BURNS.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:INHALATION:TINGLING OF THE TONGUE,FINGERTIPS AND TOES,WEAKENED SPEECH,INABIL

ITY TO UTTER SOUNDS, RAPID REDUCTION IN ABILITY TO PERFORM MOVEMENTS, REDUCED CONSCIOUSNESS OF SURROUNDINGS, LOSS OF TACTILE SE NSATIONS, HEIGHTENED MENTAL ACTIVITY.

Medical Cond Aggravated by Exposure:UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS.

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. RESCUE WORKERS, WEAR SCBA. GIVE OXYGEN/CPR AS NEEDED. NOTE TO PHYSICIAN: NO SPECIFIC ANTIDOTE. TREATMENT SHOULD BE DIRECTED AT THE CONTROL OF SYMPTOMS AND THE CLINICAL CONDITION.

Flash Point:NONFLAMMABLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:NONFLAMMABLE. INERT GAS. Fire Fighting Procedures:IF CYLINDERS ARE INVOLVED IN A FIRE, USE WATER SPRAY TO COOL OR RELOCATE. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:E VACUATE PERSONNEL. USE SELF-CONTAINED BREATHING APPARATUS WHERE NEEDED. SHUT OFF LEAK IF WITHOUT RISK. VENTILATE OR MOVE LEAKING CONTAINER TO WELL-VENTILATED AREA. TEST AREA, ESPECIALLY CONFINED AREA S, FOR OXYGEN CONTENT PRIOR TO PERMITTING REENTRY. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: USE ONLY IN WELL VENTILATED AREAS. CONTAINS NITROGEN AT EXTREMELY HIGH PRES SURE. CLOSE VALVE WHEN NOT IN USE AND WHEN EMPTY. Other Precautions: AVOID DRAGGING, ROLLING OR SLIDING CYLINDERS. USE HAND TRUCK.STORE OUTSIDE.KEEP AWAY FROM HEAT, FLAMES AND COMBUSTIBLE MATERIALS. KEEP AWAY FROM HEAVY TRAFFIC AREAS.AVOID EXPOSURE TO SALT OR OTHER CORROS IVE CHEMICALS.REPLACE CAP WHEN NOT IN US Respiratory Protection: USE SCBA IN OXYGEN-DEFICIENT ATMOSPHERES. CAUTION! RESPIRATORS WILL NOT FUNCT ION. USE MAY RESULT IN ASPHYXIATION. Ventilation: MECHANICAL (GENERAL) VENTILATION AND/OR LOCAL EXHAUST AS NECESSARY.TEST ATMOSPHERE: MUST HAVE >18 MOLAR PERCENT OXYGEN. Protective Gloves: LEATHER WORK GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment: OXYGEN MONITORING EQUIPMENT TO TEST FOR OXYGEN DEFICIENT ATMOSPHERES. SAFETY SHOES FOR CYLINDER HANDLING. Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILE T FACILITIES. Supplemental Safety and Health NONE

HCC:G3 Boiling Pt:B.P. Text:302F,150C Melt/Freeze Pt:M.P/F.P Text:-345F,-209C Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:0.97 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:SLIGHT Appearance and Odor:COLORLESS, ODORLESS GAS Percent Volatiles by Volume:GAS

Stability Indicator/Ma

terials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:VENT NITROGEN GAS SLOWLY TO A WELL VENTILATED OUTODOOR LOCATION REMOTE FROM WORK AREAS. DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER IN FULL COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencie s):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.