View NSN Online: https://aerobasegroup.kr/nsn/6520-01-303-7789

MINNESOTA MINING AND MFG CO DENTAL PRODUCTS DIV -- 3M FILTEK Z250 UNIVERSAL RESTORATIVE PASTE -- 6520-01-303-7789

============= Product Identification ========================

Product ID:3M FILTEK Z250 UNIVERSAL RESTORATIVE PASTE

MSDS Date:03/03/2000

FSC:6520

NIIN:01-303-7789 Status Code:A

MSDS Number: CLCDZ === Responsible Party ===

Company Name: MINNESOTA MINING AND MFG CO DENTAL PRODUCTS DIV

Address:3M CENTER

City:ST PAU

L

State:MN

ZIP:55144-1000 Country:US

Info Phone Num:800-364-3577/651-737-6501 Emergency Phone Num:(800)424-9300 Chemtrec Ind/Phone:(800)424-9300

CAGE:0K0U5

=== Contractor Identification ===

Company Name: MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

Company Name: MINNESOTA MINING AND MFG CO DENTAL PRODUCTS DIV

Address:3M CENTER Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Coun try:US

Phone:800-364-3577/651-737-6501

CAGE:0K0U5

======= Composition/Information on Ingredients ========

Ingred Name: SILICA

CAS:7631-86-9

Minumum % Wt:55.

Maxumum % Wt:65.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name:ZIRCONIUM OXIDE

CAS:1314-23-4

RTECS #:ZH8800000

Minumum % Wt:15.

Maxumum % Wt:25.

OSHA PEL:5 MG/M3 (ZR)

OSHA STEL:10 MG/M3 (ZR)

PEL:NONE **ACGIH TLV:NONE**

Ingred Name:11,14-DIOXA-2,9-DIAZAHEPTADEC-16-ENOIC ACID-,

4,4,6,16-TETRAMETHYL-10,15-DIOXO-,2-[(2-METHYL-1-OXO-2-PROPENYL)OXY

IETHYL ESTER

CAS:41137-60-4

Minumum % Wt:3.

Maxumum % Wt:8.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name: BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE

CAS:1565-94-2

RTECS #:UD3438000

Minumum % Wt:2.

Maxumum % Wt:6.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name: METHACRYLOXYPROPYLTRIMETHOXYSILANE

CAS:2530-85-0

RTECS #:UC0230000

Minumum % Wt:2.

Maxum

um % Wt:6.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name: ALUMINUM OXIDE

CAS:1344-28-1

RTECS #:BD1200000

Minumum % Wt:.5

Maxumum % Wt:1.5

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TRIETHYLENE GLYCOL DIMETHACRYLATE

CAS:109-16-0

RTECS #:OZ4100000


Minumum % Wt:.4

Maxumum % Wt:1.2

OSHA PEL:NONE

ACGIH TLV:NONE

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER Health Hazards Acute and Chronic: EYE: MILD EYE IRRITATION: SKIN:



First Aid:EYE CONTACT: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER. GET IMMEDIATE MEDICAL ATTENTION. SKIN CONTACT: FLUSH SKIN WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. I MMEDIATELY WASH SKIN WITH SOAP AND LARGE AMOUNTS OF WATER. REMOVE CONTAMINA

TED CLOTHES. WASH CONTAMINTAED CLOTHES
BEFORE REUSE. INHALATION: REMOVE PERSON TO FRESH AIR. IF NOT
BREATHING, GIVE ARTIFICIA L RESPIRATION. IF BREATHING DIFFICULT,
GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTENTION. IF SWALLOWED: NO NEED
FOR FIRST AID IS ANTICIPATED.

========= Fire Fighting Measures ===============

Autoignition Temp: Autoignition Temp Text: N/D

Lower Limits:N/D Upper Limits:N/D

Extinguishing Media:NON-COMBUSTIBLE. CHOOSE MATERIAL SUITABLE FOR

URROUNDING FIRE.

Fire Fighting Procedures: NOT DETERMINED.

Unusual Fire/Explosion Hazard: NOT DETERMINED.

======== Accidental Release Measures ===========

Spill Release Procedures:CLEAN UP RESIDUE. PLACE IN A CLOSED CONTAINER. REFER TO OTHER SECTIONS OF THIS MSDS FOR INFORMATION REGARDING PHYSICAL AND HEALTH HAZARDS, RESPIRATORY PROTECTION, VENTILATION AND PERSONAL PROTECTIVE E QUIPMENT. CLEAN UP RESIDUE. PLACE IN A CLOSED CONTAINER.

Neutralizing Agent:NO DATA

PROVIDED BY MANUFACTURER ============= Handling and Storage ================= Handling and Storage Precautions: STORE IN A COOL PLACE. STORE OUT OF DIRECT SUNLIGHT, KEEP CONTAINER DRY. Other Precautions: NO DATA PROVIDED BY MANUFACTURER. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT APPLICABLE. Ventilation: USE IN WELL-VENTILATED AREA. Protective Gloves:NITRILE. Eye Protection: AVOID EYE CONTACT. Other Protective Equipment:NO D ATA PROVIDED BY MANUFACTURER. Work Hygienic Practices: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. WASH EXPOSED AREAS THOROUGHLY WITH SOAP AND WATER. WASH HANDS AFTER HANDLING AND BEFORE EATING. DO NOT INGEST. Supplemental Safety and Health NOTE FROM DLA-HMIS STAFF: FOR COMPLETE LISTING OF ALL ID NMBERS/UPC **OBTAIN ORIGNIAL MSDS AT:** HTTP://PRODUCTS.3M.COM/US/MSDS/SEARCHRESULTS.JHTML ========= Physical/Chemical Properties =========== HCC:N1 Melt/Freeze Pt :M.P/F.P Text:N/D Spec Gravity: CA. 2.1 G/ML Viscosity:CA. 300000 CPS Evaporation Rate & Deference: NIL Solubility in Water:N/D Appearance and Odor: TOOTH COLORED PASTE WITH SLIGHT ACRYLATE ODOR Percent Volatiles by Volume:N/D ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES NONE KNOWN.

Stability Condition to Avoid:STABLE

Hazardous Decomposition Products: NONE KNOWN.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

=========

==== Toxicological Information =========
Toxicological Information:NO DATA PROVIDED BY MANUFACTURER.
======================================
Ecological:NOT APPLICABLE.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF WASTE PRODUCT IN A SANITARY LANDFILL.
========= MSDS Transport Information ===========
Transport Information:NO DATA PROVIDED BY MANUFACTURER.
======================================
========== Other Information =============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.